



SANI-MAID

DISINFECTANT, SANITIZER AND DEODORANT TABLETS

60 seconds: Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), Escherichia coli, Escherichia coli O157:H7, Listeria monocytogenes, Methicillin Resistant Staphylococcus aureus (MRSA), Shigella dysenteriae, Staphylococcus aureus, and Yersinia enterocolitica

SANI-MAID Disinfectant, Sanitizer and Deodorant Tablets sanitizing solutions of 200 to 400 ppm concentration may be used on food processing equipment, utensils and other food contact articles and surfaces as specified under 40 CFR 180.940 of the U.S. Environmental Protection Agency. Prepare sanitizing solutions with warm water. Allow several minutes for tablets to thoroughly dissolve before using.

FOR SANITIZING DISHES, GLASSES, AND UTENSILS IN RESTAURANTS, TAVERNS, AND OTHER PUBLIC EATING PLACES.

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner in first sink compartment.
3. Rinse with clean water in second sink compartment.
4. Sanitize in a solution of 1 to 2 (1.9g) tablet(s) per 1 gallon of water (200 to 400 ppm) in third sink compartment. Immerse all utensils for at least one minute or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.
6. A fresh sanitizing solution must be prepared at least daily or more often if the solution becomes diluted or soiled.

DIRECTIONS FOR SPRAYING FOR SANITIZING FOOD PROCESSING EQUIPMENT, DAIRY EQUIPMENT, SINKS, COUNTERTOPS, TABLES, REFRIGERATED STORAGE AND DISPLAY EQUIPMENT and other hard nonporous food contact articles and surfaces.

1. Allow surfaces to come to room temperature prior to treatment of the product.
2. Wash and rinse all articles and surfaces thoroughly.
3. Apply a solution of 200 to 400 ppm concentration by combining 1 or 2 (1.9g) tablet(s) per gallon of warm water, allowing several minutes for tablets to dissolve completely before using. Spray with hand trigger sprayer or wipe on and allow surface to remain wet for at least one minute followed by adequate draining and air drying. Do not rinse or wipe.

GENERAL DISINFECTION

FOR USE AS A GENERAL PURPOSE DISINFECTANT:

1. Pre-clean heavily soiled areas.
2. Apply use solution of two 1.9g tablets of this product per gallon of water (400 ppm active) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain visibly wet for 10 minutes.
4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
5. Prepare a fresh solution daily or when visibly dirty.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in areas inaccessible to persons unfamiliar with its use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Then offer for recycling if available or dispose of empty container in a sanitary landfill or by incineration.

NON-WARRANTY

All data, statements, and recommendations contained herein are based on the best available information and are believed to be reliable. However, to the extent allowable by law, no warranty either expressed or implied is made concerning the application of this product since the customer's use of this product cannot be controlled.



SANI-MAID

DISINFECTANT, SANITIZER AND DEODORANT TABLETS

No chlorine taste or odor
Dissolves instantly in warm or cold water
Does not harm any surface not harmed by water

ACTIVE INGREDIENTS

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides . . . 40.0%

INERT INGREDIENTS: 60.0%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See side panel for additional precautionary statements.

EPA Reg. No. 507-4-84262
EPA Est. No. 94415-NM-001

Distributed by

Bar Maid Corporation
2950 NW 22nd Terrace
Pompano Beach, FL 33069
(954) 960-1468

**4 BOTTLES,
EACH 200 TABLETS
TOTAL 800 TABLETS**

NET WT. 13.4 oz. (380 g) each
TOTAL NET WT. 3 lbs. 5.6 oz. (1.5 kg)

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get into eyes, on skin or on clothing. Wear goggles or face shield, protective clothing, and rubber gloves. Harmful if swallowed. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOOD CONTACT SANITIZER

Used as directed at 200 to 400 ppm concentration, in waters up to 500 ppm of hardness calculated as CaCO₃, this product is effective against the following pathogenic organisms in

Made in the USA
Part No. DIS-207

